

Drought Information Statement for the Missouri Ozarks

Current Status, Impacts, and Outlook

Issued By: NWS Springfield, MO

Contact information: contact.sgf@noaa.gov



Latest U.S. Drought Monitor Map - Released Thursday, August 10th

Key Messages

- → **Drought Worsened:** No areas in Missouri or southeast Kansas had worsening drought conditions over the past week.
- → Drought Improved: Portions of northeast, northwest, central, southwest and southeast Missouri and southeast Kansas.
- → No Change: West central and south central Missouri.

Next Scheduled Briefing

→ Thursday August 17th, 2023




Image Caption: U.S. Drought Monitor valid 8am EDT August 10th.




Current Drought Monitor - Intensity and Extent

Drought intensity and Extent

- Cedar, northwest Dade, all but northwest Vernon, and northern Barton Counties in Missouri, and central and southern Bourbon and northeastern Crawford Counties in southeast Kansas.
- O D2 Severe Drought: Northeast and southern Morgan, northern and southern Miller, all but northeast Benton, Camden, all but southern Hickory, the eastern half of St. Clair, the northwest half of Pulaski, northern Laclede, northern Dallas, western Polk, eastern Cedar, central, northeast and southwest Dade, northwest Vernon, central and southern Barton, all but southwest Jasper, northwest Lawrence and northeast Neosho Counties in Missouri. In southeast Kansas, northern and southwest Bourbon, all but northeast and southwest Crawford and extreme northeast Cherokee Counties.
- O D1 Moderate Drought: Portions of central Missouri from Versailles to Vienna, locations from McCune Kansas to Joplin to Cassville to Nixa, north of a line from Mount Vernon to Ash Grove to Lebanon to Fort Leonard Wood, east of a line from Thayer to Cabool to Licking, and west of a line from Rolla to Salem.
- On: Abnormally Dry: The rest of central, southwest and south central Missouri, with the exception of northeast Taney, Ozark, all but western Douglas, west central Howell, western Texas, all but southwest Wright and central Webster Counties.

U.S. Drought Monitor


Springfield, MO WFO



August 8, 2023 (Released Thursday, Aug. 10, 2023) Valid 8 a.m. EDT

Drought Conditions (Percent Area)

	100000						
	None	D0-D4	D1-D4	D2-D4	D3-D4	D4	
Current	11.66	88.34	65.09	31.38	9.23	0.00	
Last Week 08-01-2023	11.66	88.34	69.92	38.79	9.89	0.00	
3 Month's Ago 05-09-2023	8.70	91.30	34.84	19.22	3.68	0.00	
Start of Calendar Year 01-03-2023	67.05	32.95	17.89	9.63	1.63	0.00	
Start of Water Year 09-27-2022	25.36	74.64	57.79	28.92	17.48	9.99	
One Year Ago 08-09-2022	9.80	90.20	86.79	54.02	11.50	0.00	



Local conditions may vary. For more information on the Drought Monitor, go to https://droughtmonitor.unl.edu/About.a

Brad Pugh CPC/NOAA








droughtmonitor.unl.edu

Image Caption: Drought Monitor - Springfield Area valid 8am EDT August 10th.

U.S. Drought Monitor
Kansas

Kansas and Missouri



August 8, 2023

(Released Thursday, Aug. 10, 2023) Valid 8 a.m. EDT

Drought Conditions (Percent Area)

	None	D0-D4	D1-D4	D2-D4	D3-D4	D4
Current	13.39	86.61	69.80	45.09	29.98	3.19
D8-01-2023	12.09	87.91	71.49	47.74	29.19	3.65
3 Month's Ago 05-09-2023	7.96	92.04	84.51	76.53	64.44	41.10
Start of Calendar Year 01-03-2023	0.53	99.47	84.47	68.86	57.02	36.85
Start of Water Year 09-27-2022	1.48	98.52	82.55	67.05	52.70	24.90
One Year Ago 08-09-2022	16.25	83.75	72.48	54.32	28.72	10.01

The Drought Monitor focuses on broad-scale conditions. Local conditions may vary. For more information on the Drought Monitor, go to https://droughtmonitor.unl.edu/About.aspx

Author: Brad Pugh CPC/NOAA








droughtmonitor.unl.edu

U.S. Drought Monitor Missouri




August 8, 2023

(Released Thursday, Aug. 10, 2023) Valid 8 a.m. EDT

Drought Conditions (Percent Area)

į	None	D0-D4	D1-D4	D2-D4	D3-D4	D4
Current	8.91	91.09	62.51	32.90	8.77	0.00
Last Week 08-01-2023	5.92	94.08	77.21	48.56	18.77	0.00
3 Month's Ago 05-09-2023	15.30	84.70	36.61	19.62	2.13	0.00
Start of Calendar Year 01-03-2023	50.31	49.69	12.51	1.61	0.00	0.00
Start of Water Year 09-27-2022	18.48	81.52	56.59	15.39	4.83	1.92
One Year Ago 08-09-2022	35.71	64.29	37.84	21.41	3.16	0.00



The Drought Monitor focuses on broad-scale conditions. Local conditions may vary. For more information on the Drought Monitor, go to https://droughtmonitor.unl.edu/About.aspx

Author: Brad Pugh CPC/NOAA











droughtmonitor.unl.edu

Image(s) Caption: Kansas and Missouri Current Drought Monitors valid 8am EDT August 10th.

Drought Monitor 1 Week Change




Kansas and Missouri




Image(s) Caption: Kansas and Missouri Drought Monitors (1 week change) valid 8am EDT August 10th.



Drought Monitor 4 Week Change



Kansas and Missouri




Image(s) Caption: Kansas and Missouri Drought Monitors (4 week change) valid 8am EDT August 10th.




Hydrologic Conditions

Data Courtesy High Plains Regional Climate Center

Precipitation (in) 7/11/2023 — 8/9/2023



Percent of Normal Precipitation (%) 7/11/2023 - 8/9/2023



Generated 8/10/2023 at HPRCC using provisional data.

NOAA Regional Climate Centers

Image Caption: <u>Precipitation Amount for Missouri and eastern Kansas</u>.

Data over the past 30 days ending August 9, 2023.

Generated 8/10/2023 at HPRCC using provisional data.

NOAA Regional Climate Centers

Image Caption: <u>Percent of Normal Precipitation for Missouri and eastern Kansas.</u> Data over the past 30 days ending August 9, 2023

- Precipitation accumulations over the past 30 days ranged from an inch or less over southwest Missouri to over four inches over parts of central and south central Missouri.
- Portions of central, and southwest Missouri had over 150% of their normal precipitation.
- Parts of south central and west central Missouri had around 50% of their normal rainfall.





Hydrologic Impacts

• Streamflow percentiles over the past 7 days were below normal along the Little Osage River in SE Kansas and west central Missouri.

Agricultural Impacts

 Condition Monitoring Observer Reports (CMORs) continue to indicate dry ponds, dead grass, crop failures, reduce crop yield, and increases in invasive insects in the D1, D2 and D3 areas.

Fire Hazard Impacts

There are no known impacts at this time.

Other Impacts

There are no known impacts at this time.

Mitigation actions

- Many farmers and ranchers continued to haul water for livestock, supplement feed and cull herds.
- The Missouri Department of Agriculture has an AgriStress Helpline at 833-897-2474.
- The University of Missouri
 Extension Office has set up a
 Psychological Service Clinic
 to aid farmers and ranchers.
- More information is available at muext.us/PSCFarmRanch.

Hydrologic Conditions

Valid August 9, 2023




Image Caption: : <u>USGS 7 day average streamflow HUC map - Kansas</u>.




Image Caption: : <u>USGS 7 day average streamflow HUC map - Missouri</u>.

- Streamflow percentiles over the past 7 days were below normal along the Little Osage River (circled in red above).
- Over the remainder of the region, streamflows were near to above normal.

Agricultural Impacts




Image Caption: CPC Calculated <u>Soil Moisture Ranking Percentile</u>. (valid August 8, 2023)





Image Caption: <u>Crop Moisture Index by Division</u> Weekly. (value for period ending August 5, 2023)

- Soil Moisture was in the 1st to 5th percentile over SE Kansas and west central Missouri, and in the 5th to 20th percentile much of the Missouri Ozarks.
- The Crop Moisture Index was unusually dry over southwest Missouri.



THE PARTY OF THE P

Valid August 10-17, 2023



20.00 15.00 -10.00 -7.00 168-Hour Day 1-7 QPF Valid 12Z Thu Aug 10 2023 Thru 12Z Thu Aug 17 2023 Issued: 0953Z Thu Aug 10 2023 Forecaster: WPC DOC/NOAA/NWS/NCEP/WPC

Image Caption: Weather Prediction Center Day 1-3 Precipitation Forecast.

Image Caption: Weather Prediction Center Day 1-7 Precipitation Forecast.


Main Takeaway


Most areas are expected to see at least one inch of rainfall over the next 7 days.

EATHEA

6-10 Day Temperature and Precipitation Outlook

Valid August 15-19, 2023









Image Caption: Climate Prediction Center 6-10 Day Precipitation Outlook.

- Above normal temperatures are favored for the Missouri Ozarks and southeast Kansas.
- Near normal precipitation is favored for the Missouri Ozarks and southeast Kansas.

WEATHER SOLVER

8-14 Day Temperature and Precipitation Outlook

Valid August 17-23, 2023








Image Caption: Climate Prediction Center 8-14 Day Precipitation Outlook.


Main Takeaways

• Above normal temperatures and near normal precipitation are favored over the Missouri Ozarks and southeast Kansas.



3-4 Week Temperature and Precipitation Outlook

Valid August 19, 2023 - September 1, 2023






Image Caption: <u>Climate Prediction Center Weeks 3-4 Temperature Outlook</u>.

Image Caption: Climate Prediction Center Weeks 3-4 Precipitation Outlook.


- Below normal temperatures are favored over central and west central Missouri, with equal chances for above, below and normal temperatures over southern Missouri and southeast Kansas.
- There will be equal chances for above, below and normal precipitation over the Missouri Ozarks and southeast Kansas.





Seasonal Temperature and Precipitation Outlook

Valid August - October 2023








Image Caption: Climate Prediction Center Seasonal Precipitation Outlook.

- Above normal precipitation is favored through the end of October.
- There will be equal chance for above, below and normal temperatures through the end of October.



Drought Monthly and Seasonal Outlooks

Valid August - October 2023




Image Caption: Climate Prediction Center Monthly Drought Outlook.




Image Caption: Climate Prediction Center Seasonal Drought Outlook.

- Areas in drought across the Missouri Ozarks and southeast Kansas are expected to see improvement through the next 1-3 months
- Some drought removal is expected by the end of October.



Drought Information

- State Impacts
- → Drought Impacts Toolkit
- → Drought Monitor Archive

			Ranges				
Category	Description	Possible Impacts	Palmer Drought Severity Index (PDSI)	CPC Soil Moisture Model (Percentiles)	USGS Weekly Streamflow (Percentiles)	Standardized Precipitation Index (SPI)	Objective Drought Indicator Blends (Percentiles)
D0	Abnormally Dry	Short-term dryness slowing planting, growth of crops or pastures Coming out of drought: some lingering water deficits pastures or crops not fully recovered	-1.0 to -1.9	21 to 30	21 to 30	-0.5 to -0.7	21 to 30
D1	Moderate Drought	 Some damage to crops, pastures Streams, reservoirs, or wells low, some water shortages developing or imminent Voluntary water-use restrictions requested 	-2.0 to -2.9	11 to 20	11 to 20	-0.8 to -1.2	11 to 20
D2	Severe Drought	 Crop or pasture losses likely Water shortages common Water restrictions imposed 	-3.0 to -3.9	6 to 10	6 to 10	-1.3 to -1.5	6 to 10
D3	Extreme Drought	Major crop/pasture losses Widespread water shortages or restrictions	-4.0 to -4.9	3 to 5	3 to 5	-1.6 to -1.9	3 to 5
D4	Exceptional Drought	 Exceptional and widespread crop/pasture losses Shortages of water in reservoirs, streams, and wells creating water emergencies 	-5.0 or less	0 to 2	0 to 2	-2.0 or less	0 to 2

For Additional Information

- **NWS Springfield Webpage**
- **IDSS Point Forecasts**
- NWS Springfield Drought Monitor Resources
- **Graphical Hazardous Weather Outlook**
- Missouri Drought Monitor | Kansas Drought Monitor
- **CPC Drought Information**
- National Integrated Drought Information System (NIDIS)
- National Drought Mitigation Center (NDMC)
- Missouri USGS Streamflows | Kansas USGS Streamflows
- **Drought Safety**





Agriculture

Farms, ranches, and grazing lands suffer, and increases the cost of their products



A decrease of water can lead to an increase of illness, disease, mortality rates, and adverse mental health



Ecosystems

Harms fish, wildlife, and plants, as well as the benefits these ecosystems provide



Wildfire Management
Dry, hot, and windy weather combined with dried out vegetation can lead to more large-scale wildfires



Manufacturing

Interruptions in the water supply can result in a reduction of productivity or closure of facilities



Production of all types of energy requires water, and drought can severely impact energy systems and prices



